

## Tris Buffered Saline (TBS-10X)



**√**1L

**Orders** 877-616-CELL (2355)

orders@cellsignal.com

**Support** 877-678-TECH (8324)

info@cellsignal.com

Web www.cellsignal.com

rev. 11/07/17

## For Research Use Only. Not For Use In Diagnostic Procedures.

**Description:** Tris buffered saline (TBS) solution for use as the blocking buffer diluent during fluorescent western blotting. Tween 20® detergent cannot be present in the blocking buffer because it can auto-fluoresce and increase non-specific background. After the blocking step, Tween 20® can be re-introduced to subsequent diluent buffers. Chemliluminescent western blotting does not require Tween 20® omission during blocking. Product is shipped and stored at room temperature.

1X Formulation: 137 mM Sodium Chloride, 20 mM Tris. Supplied at pH 7.6.

**NOTE:** This product does not contain Tween 20® detergent.

**Directions for Use:** Dilute Tris Buffered Saline (TBS-10X) to a 1X solution using ddH<sub>2</sub>0. This product supplies enough 10X material to make 10 liters of 1X solution.

**Storage:** Store 10X buffer at room temperature. At 10X, this buffer is stable for 24 months. Use within 1 week once it has been diluted to 1X.

For product specific protocols please see the web page for this product at www.cellsignal.com.

Please visit www.cellsignal.com for a complete listing of recommended complementary products.

© 2013 Cell Signaling Technology, Inc. Cell Signaling Technology® is a trademark of Cell Signaling Technology, Inc.